

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3133443	memory or storage	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 14:27
L2	61499	1 and current with cell	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 14:29
L3	11220	2 and current with reference	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 14:48
L4	2461	3 and current near3 amplif\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 14:48
L5	141	4 and reference near3 current with (less or smaller) with cell near4 current	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 15:11
L6	2	4 and reference near3 current with (less or smaller) with cell near4 current with "0.7"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 14:55
L7	0	4 and reference near3 current with (less or smaller) with cell near4 current with "70" adj percent	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 14:55
L8	0	4 and reference near3 current with (less or smaller) with cell near4 current with percent	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 15:05
L9	5	4 and reference near3 current with (less or smaller) with cell near4 current with half	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 15:19
L10	31	4 and reference near3 current with (less or smaller) with cell near4 current with between	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 15:20
L11	277	4 and reference near3 current with cell near4 current with between	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 15:21
L12	0	4 and reference near3 current with cell near4 current with between with "0.25" with "0.75"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 15:22

L13	0	4 and reference near3 current with cell near4 current with between with "0.3" with "0.6"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 15:21
L14	0	4 and reference near3 current with cell near4 current with between with "0.35" with "0.45"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 15:22
L15	0	4 and reference near3 current with cell near4 current with between with "25" with "75"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 15:22
L16	0	4 and reference near3 current with cell near4 current with between with "30" with "60"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 15:22
L17	0	4 and reference near3 current with cell near4 current with between with "35" with "45"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 15:23

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3133443	memory or storage	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 14:27
L2	61499	1 and current with cell	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 14:29
L3	11220	2 and current with reference	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 14:48
L4	2461	3 and current near3 amplif\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 14:48
L5	141	4 and reference near3 current with (less or smaller) with cell near4 current	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 15:11
L6	2	4 and reference near3 current with (less or smaller) with cell near4 current with "0.7"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 14:55
L7	0	4 and reference near3 current with (less or smaller) with cell near4 current with "70" adj percent	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 14:55
L8	0	4 and reference near3 current with (less or smaller) with cell near4 current with percent	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 15:05
L9	5	4 and reference near3 current with (less or smaller) with cell near4 current with half	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 15:19
L10	31	4 and reference near3 current with (less or smaller) with cell near4 current with between	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 15:20
L11	277	4 and reference near3 current with cell near4 current with between	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 15:21
L12	0	4 and reference near3 current with cell near4 current with between with "0.25" with "0.75"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 15:22

L13	0	4 and reference near3 current with cell near4 current with between with "0.3" with "0.6"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 15:21
L14	0	4 and reference near3 current with cell near4 current with between with "0.35" with "0.45"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 15:22
L15	0	4 and reference near3 current with cell near4 current with between with "25" with "75"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 15:22
L16	0	4 and reference near3 current with cell near4 current with between with "30" with "60"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 15:22
L17	0	4 and reference near3 current with cell near4 current with between with "35" with "45"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 15:30
L18	6	4 and current with maximumi near2 leakage	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 15:36
L19	355	4 and channel near3 length	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 15:37
L20	22	4 and channel near3 length with minimum	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 15:37